


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	display\$4 same user\$1 same screen\$1 same search\$4 same (result\$1 or report\$1) same group\$4 same context\$1 same categor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 08:37
L2	0	L1 same ((subcategor\$4 or sub-categor\$4) same level\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 08:38
L3	1	drill\$4 same select\$4 same categor\$4 same icon\$1 same access\$4 same search\$4 same result\$4 same member\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 08:39
L4	1	lower\$1 same level\$1 same categor\$4 same icon\$1 same access\$4 same member\$1 same display\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 08:41
L5	219685	uncommon\$1 same display\$4 same (sub-categor\$4 or subcategor\$4) same level\$1 graphical\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 08:43
L6	219685	uncommon\$1 same display\$4 same (sub-categor\$4 or subcategor\$4) same level\$1 graphical\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 08:43
L7	33	uncommon\$1 same display\$4 same (sub-categor\$4 or subcategor\$4) same level\$1 graphical\$4 same context\$1 same independently	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 08:44
L8	2	uncommon\$1 same display\$4 same (sub-categor\$4 or subcategor\$4) same level\$1 graphical\$4 same context\$1 same independently same (result\$1 or report\$4) same (node\$1 or child\$1 or parent\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 08:45

**IEEE Xplore®**
RELEASE 1.8Welcome
United States Patent and Trademark Office

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Your search matched **0** of **1138071** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**Results:****No documents matched your query.**

**IEEE Xplore®**
RELEASE 1.8Welcome
United States Patent and Trademark Office[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Your search matched **2** of **1138071** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**1 Neighborhoods: a framework for enabling Web based synchronous collaboration and hierarchical navigation***Kothari, J.; Grossman, E.; Mehrotra, S.;*

System Sciences, 1997, Proceedings of the Thirtieth Hawaii International Conference on , Volume: 1 , 7-10 Jan. 1997

Pages:666 - 675 vol.1

[\[Abstract\]](#)[\[PDF Full-Text \(1436 KB\)\]](#)[IEEE CNF](#)**2 Business applications of artificial neural networks: an updated review and analysis***Quaddus, M.A.; Khan, M.S.;*

Neural Information Processing, 1999. Proceedings. ICONIP '99. 6th International Conference on , Volume: 2 , 16-20 Nov. 1999

Pages:819 - 824 vol.2

[\[Abstract\]](#)[\[PDF Full-Text \(212 KB\)\]](#)[IEEE CNF](#) [Print Format](#)[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [O Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to](#)



US Patent & Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

uncommon\$1 same display\$4 same (sub-categor\$4 or subcate

SEARCH



Terms used

uncommon\$1 same display\$4 same sub categor\$4 or subcategor\$4 same level\$1 graphical\$4 same context\$1 same in

Sort results by

Display results

[Save results to a Binder](#)

[Search Tips](#)

☐ [Open results in a new window](#)

Results 1 - 20 of 200

Best 200 shown

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

1 [On randomization in sequential and distributed algorithms](#)

Rajiv Gupta, Scott A. Smolka, Shaji Bhaskar

March 1994

ACM Computing Surveys (CSUR), Volume 26 Issue 1

Full text available: [pdf\(8.01 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [...](#)

Probabilistic, or randomized, algorithms are fast becoming as commonplace as conventional deterministic algo the design of randomized algorithms. These techniques are illustrated using 12 randomized algorithms—both including: primality testing (a classical problem in number theory), interactive probabilistic proof s ...

Keywords: Byzantine agreement, CSP, analysis of algorithms, computational complexity, dining philosophers probabilistic proof systems, leader election, message routing, nearest-neighbors problem, perfect hashing, pr algorithms, randomized quicksort, sequential algorithms, transitive tournaments, universal hashing

2 [Fast detection of communication patterns in distributed executions](#)

Thomas Kunz, Michiel F. H. Seuren

November 1997

Proceedings of the 1997 conference of the Centre for Advanced Studies on Collabo

Full text available: [pdf\(4.21 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [...](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time dia the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. user with the desired overview of the application. In our experience, such tools display repeated occurrences

3 [Heuristic and randomized optimization for the join ordering problem](#)

Michael Steinbrunn, Guido Moerkotte, Alfons Kemper

August 1997

The VLDB Journal — The International Journal on Very Large Data Bases, Volume 6 Is

Full text available: [pdf\(385.47 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [citations](#), [inde](#)

Recent developments in database technology, such as deductive database systems, have given rise to the dem this paper many different algorithms that compute approximate solutions for optimizing join orders are studie complex problems. Two possible solution spaces, the space of left-deep and bushy processing trees, are evalu

Keywords: Genetic algorithms, Heuristic algorithms, Join ordering, Query optimization, Randomized algorithm

4 [VLSI cell placement techniques](#)

K. Shahookar, P. Mazumder

June 1991

ACM Computing Surveys (CSUR), Volume 23 Issue 2

Full text available: [pdf\(5.28 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [...](#)


VLSI cell placement problem is known to be NP complete. A wide repertoire of heuristic algorithms exists in the objective of this paper is to present a comprehensive survey of the various cell placement techniques, with emphasis on placement are discussed: simulated annealing, force-directed placement, min-cut placement, placement by n

Keywords: VLSI, floor planning, force-directed placement, gate array, genetic algorithm, integrated circuits, cell

5 Design and analysis of efficient hierarchical interconnection networks

Sizheng Wei, Saul Levy

August 1991 **Proceedings of the 1991 ACM/IEEE conference on Supercomputing**

Full text available:  pdf(1.07 MB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

6 Transitive closure algorithms based on graph traversal

Yannis Ioannidis, Raghu Ramakrishnan, Linda Winger

September 1993 **ACM Transactions on Database Systems (TODS)**, Volume 18 Issue 3

Full text available:  pdf(4.34 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)


Several graph-based algorithms have been proposed in the literature to compute the transitive closure of a directed graph and compare the performance of their implementations in a disk-based environment with a well-known graph search to traverse a graph and a technique called marking to avoid processing some of the arcs in the graph.

Keywords: depth-first search, node reachability, path computations, transitive closure

7 Status report of the graphic standards planning committee of ACM/SIGGRAPH: State-of-the-art of graphics

Computer Graphics staff

September 1977 **ACM SIGGRAPH Computer Graphics**, Volume 11 Issue 3

Full text available:  pdf(9.03 MB)

Additional Information: [full citation](#), [references](#)

8 Parameterized object sensitivity for points-to analysis for Java

Ana Milanova, Atanas Rountev, Barbara G. Ryder

January 2005 **ACM Transactions on Software Engineering and Methodology (TOSEM)**, Volume 14 Issue 1

Full text available:  pdf(413.28 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

The goal of *points-to analysis* for Java is to determine the set of objects pointed to by a reference variable or context sensitivity for flow-insensitive points-to analysis for Java. The key idea of our approach is to analyze a set of objects on which this method may be invoked. To ensure flexibility and practicality, we propose a parameterized

Keywords: Static analysis, class analysis, context sensitivity, def-use analysis, points-to analysis, side-effect

9 The complexity of probabilistic verification

Costas Courcoubetis, Mihalis Yannakakis

July 1995 **Journal of the ACM (JACM)**, Volume 42 Issue 4

Full text available:  pdf(4.14 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

We determine the complexity of testing whether a finite state, sequential or concurrent probabilistic program satisfies a property. For sequential programs, we present an algorithm that runs in time linear in the program and exponential in the size of the known lower bound. For concurrent programs, we show that the problem can be solved in time polynomial in the size of the program.

Keywords: EXPTIME-complete, Markov chain, PSPACE-complete, automata, model checking, probabilistic algorithms

10 An efficient parallel algorithm for the single function coarsest partition problem

Joseph F. JáJá, Kwan Woo Ryu



August 1993 **Proceedings of the fifth annual ACM symposium on Parallel algorithms and architectures**

Full text available:  [pdf\(900.16 KB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

11 Computing curricula 2001

September 2001 **Journal on Educational Resources in Computing (JERIC)**

Full text available:  [pdf\(613.63 KB\)](#)  [html\(2.78 KB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

12 The Quadtree and Related Hierarchical Data Structures

Hanan Samet

June 1984 **ACM Computing Surveys (CSUR)**, Volume 16 Issue 2

Full text available:  [pdf\(4.87 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

13 A hierarchical access control model for video database systems

Elisa Bertino, Jianping Fan, Elena Ferrari, Mohand-Said Hacid, Ahmed K. Elmagarmid, Xingquan Zhu

April 2003 **ACM Transactions on Information Systems (TOIS)**, Volume 21 Issue 2

Full text available:  [pdf\(6.27 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), _____

Content-based video database access control is becoming very important, but it depends on the progresses of (a) supporting semantic visual concept representation; (b) effective video database indexing structure; (c) the design of access control models tailored to the characteristics of video data. In this paper, we propose a novel approach

Keywords: Video database models, access control, indexing schemes

14 Synchronous relaxation for parallel simulations with applications to circuit-switched networks

Stephen G. Eick, Albert G. Greenberg, Boris D. Lubachevsky, Alan Weiss

October 1993 **ACM Transactions on Modeling and Computer Simulation (TOMACS)**, Volume 3 Issue 4

Full text available:  [pdf\(1.86 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), _____

Synchronous relaxation, a new, general-purpose, efficient method for parallel simulation, is proposed. The method is applied to circuit-switched communication networks. To show that synchronous-relaxation method is efficient, we present analytic approximations derived from a mathematical model of the simulation method.

Keywords: discrete event, fixed point, parallel, relaxation

15 xlinkit: a consistency checking and smart link generation service

Christian Nentwich, Licia Capra, Wolfgang Emmerich, Anthony Finkelstein

May 2002 **ACM Transactions on Internet Technology (TOIT)**, Volume 2 Issue 2

Full text available:  [pdf\(463.26 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), _____


xlinkit is a lightweight application service that provides rule-based link generation and checks the consistency of XML documents. Notably XML, XPath, and XLink. xlinkit can be used as part of a consistency management scheme or in application management of large document repositories. In this article we show how consistency constraints can be expressed

Keywords: Consistency management, XML, automatic link generation, constraint checking

16 Efficient trace-driven simulation method for cache performance analysis

Wen-Hann Wang, Jean-Loup Baer

April 1990 **ACM SIGMETRICS Performance Evaluation Review , Proceedings of the 1990 ACM systems**, Volume 18 Issue 1

Full text available:  pdf(1.02 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), _____


We propose improvements to current trace-driven cache simulation methods to make them faster and more efficient simulation in two ways. First, we reduce the program traces to the extent that exact performance can still be produced performance results for a variety of metrics (hit ratio, write-back counts, bus traffic) for a large number

17 Simple algorithms for routing on butterfly networks with bounded queues

Bruce M. Maggs, Ramesh K. Sitaraman

July 1992

Proceedings of the twenty-fourth annual ACM symposium on Theory of computing

Full text available:  pdf(1.41 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), _____

This paper examines several simple algorithms for routing packets on butterfly networks with bounded queue. Each of the N inputs sends a packet to a randomly chosen output requires $O(\log N)$ steps, with high probability. We also show that for any deterministic non-predictive queuing protocol, there ...

18 From Algol to polymorphic linear lambda-calculus

Peter W. O'Hearn, John C. Reynolds

January 2000

Journal of the ACM (JACM), Volume 47 Issue 1

Full text available:  pdf(406.28 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), _____

In a linearly-typed functional language, one can define functions that consume their arguments in the process of imperative languages, where execution of an assignment statement alters the contents of the store. We explore functional language with polymorphic linear types. On the one hand, the translations lead to a semantic analysis


Keywords: linear logic, local state, logical relations, parametric polymorphism

19 Guidance for the use of the Ada programming language in high integrity systems

B. A. Wichmann

July 1998

ACM SIGAda Ada Letters, Volume XVIII Issue 4

Full text available:  pdf(2.93 MB)

Additional Information: [full citation](#), [abstract](#), [citations](#), [index](#), _____


This paper is the current result of a study by the ISO HRG Rapporteur group which is being circulated for comment. It has attended two recent meetings of group or have made substantial e-mail comments are: Praful V Bhansali (Boeing Critical Systems, UK), Dan Craigen (ORA, Canada), Nick Johnson (MoD, UK), Stephen Michell (Canada), Gilles

20 Probabilistic inductive inference

L. Pitt

April 1989

Journal of the ACM (JACM), Volume 36 Issue 2

Full text available:  pdf(4.04 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), _____

Inductive inference machines construct programs for total recursive functions given only example values of the various criteria of successful inference, it is asked whether a probabilistic inductive inference machine can infer inference with probability at least p , ($0 < p < 1$) as opposed ...

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)

The ACM Portal is published by the Association for Computing Machinery

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media](#)



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

uncommon\$1 same display\$4 same (sub-categor\$4 or subcate

SEARCH



Terms used

uncommon\$1 same display\$4 same sub categor\$4 or subcategor\$4 same level\$1 graphical\$4 same context\$1 same in

Sort results by

Display results

[Save results to a Binder](#)

[Search Tips](#)

☐ [Open results in a new window](#)

Results 21 - 40 of 200

Result page: [previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

21 The efficiency of greedy routing in hypercubes and butterflies

George D. Stamoulis, John N. Tsitsiklis

June 1991 **Proceedings of the third annual ACM symposium on Parallel algorithms and architectures**

Full text available: [pdf\(1.19 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

22 Enhancing visual interaction: A system for supporting and managing same-time/different-place group in

Pedro A. Antunes

May 1998

Proceedings of the working conference on Advanced visual interfaces

Full text available: [pdf\(1.68 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#)

This paper describes a user-interface system developed to support group interactions for same-time/different these kind of systems: information sharing, coordination and multiuser-interface. The proposed approach defi dedicated to organise and structure application data. *Connections* manage group coordination. And, finally, *M*

Keywords: *CSCW, group interaction*

23 Time critical isosurface refinement and smoothing

V. Pascucci, C. L. Bajaj

October 2000

Proceedings of the 2000 IEEE symposium on Volume visualization

Full text available: [pdf\(1.29 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: consistent embedding, multi-resolution data structures, progressive algorithms, recursive subdivi

24 Representation conversions: Exploiting self-similarity in geometry for voxel based solid modeling

Eric Parker, Tushar Udeshi

June 2003

Proceedings of the eighth ACM symposium on Solid modeling and applications

Full text available: [pdf\(2.53 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Voxel-based modeling techniques are known for their robustness and flexibility. However, they have three ma needed to represent high-resolution models (2) Computationally expensive, since a large number of voxels ne needed to visualize the results. We describe techniques which alleviate these by taking advantage of self-simi


Keywords: MEMS process emulation, isosurface extraction, visualization, voxel-based data structures and alg

25 Generalized best-first search strategies and the optimality of A*

Rina Dechter, Judea Pearl

July 1985

Journal of the ACM (JACM), Volume 32 Issue 3

Full text available:  [pdf\(2.54 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), _____


This paper reports several properties of heuristic best-first search strategies whose scoring functions f depend on the current cost g and the estimated completion cost h . It is shown that several known properties of A* retain which helps establish general tests of admissibility and general conditions ...

26 Are there advantages to high-dimension architectures?: Analysis of k-ary n-cubes for the class of parallel architectures

Shantanu Dutt, Nam Trinh

January 1996

Proceedings of the 10th international conference on Supercomputing

Full text available:  [pdf\(1.24 MB\)](#)

Additional Information: [full citation](#), [references](#), [index terms](#)

27 Efficient hierarchical interconnection for multiprocessor systems

S. Wei, S. Levy

December 1992

Proceedings of the 1992 ACM/IEEE conference on Supercomputing

Full text available:  [pdf\(1.02 MB\)](#)


Additional Information: [full citation](#), [references](#), [index terms](#)

28 Parallel graph algorithms

Michael J. Quinn, Narsingh Deo

September 1984

ACM Computing Surveys (CSUR), Volume 16 Issue 3

Full text available:  [pdf\(2.40 MB\)](#)


Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#), [reviews](#)

29 Provably efficient scheduling for languages with fine-grained parallelism

Guy E. Blelloch, Phillip B. Gibbons, Yossi Matias

July 1995

Proceedings of the seventh annual ACM symposium on Parallel algorithms and architectures

Full text available:  [pdf\(1.62 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

30 Efficient content-based indexing of large image databases

Essam A. El-Kwae, Mansur R. Kabuka

April 2000

ACM Transactions on Information Systems (TOIS), Volume 18 Issue 2

Full text available:  [pdf\(850.35 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), _____

Large image databases have emerged in various applications in recent years. A prime requisite of these databases is a multilevel signature file called the Two Signature Multi-level Signature File (2SMLSF) is introduced as an efficient way to store information into binary signatures and creates a tree structure that can be efficiently searched ...

Keywords: content analysis and indexing, document managing, image databases, index generation, multimedia

31 Multi-scale self-simulation: a technique for reconfiguring arrays with faults

Richard Cole, Bruce Maggs, Ramesh Sitaraman

June 1993

Proceedings of the twenty-fifth annual ACM symposium on Theory of computing

Full text available:  [pdf\(1.43 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

32 Reversal complexity of counter machines

Tat-hung Chan
May 1981

Proceedings of the thirteenth annual ACM symposium on Theory of computing

Full text available:  [pdf\(1.05 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), _____

It has long been known that deterministic 1-way counter machines recognize exactly all r.e. sets. Here we inv reversals. Our main result is that for bounds which are at least linear, counter reversal is polynomially related both the deterministic and the nondeterministic cases. This leads to natural characterizations of the classes P

33 Randomized protocols for low-congestion circuit routing in multistage interconnection networks

Richard Cole, Bruce M. Maggs, Friedhelm Meyer auf der Heide, Michael Mitzenmacher, Andréa W. Richa, Klaus S May 1998

Proceedings of the thirtieth annual ACM symposium on Theory of computing

Full text available:  [pdf\(1.73 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

34 ITiCSE 2002 working group report: Exploring the role of visualization and engagement in computer scie

Thomas L. Naps, Guido Rößling, Vicki Almstrum, Wanda Dann, Rudolf Fleischer, Chris Hundhausen, Ari Korhonen June 2002

ACM SIGCSE Bulletin , Working group reports from ITiCSE on Innovation and tech

Full text available:  [pdf\(414.24 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), _____

Visualization technology can be used to graphically illustrate various concepts in computer science. We argue educational value unless it engages learners in an active learning activity. Drawing on a review of experiment the backdrop of current attitudes and best practices with respect to visualization use. We suggest a new taxon

35 Fast computation using faulty hypercubes

J. Hastad, T. Leighton
February 1989

Proceedings of the twenty-first annual ACM symposium on Theory of computing

Full text available:  [pdf\(1.65 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), _____

We consider the computational power of a hypercube containing a potentially large number of randomly locat an N-node hypercube in an N-node hypercube with faulty processors. Provided that the processors of the N-n independently distributed, we show that with high probability, the fa ...

36 On the hardness of approximating optimum schedule problems in store and forward networks

Andrea E. F. Clementi, Miriam Di Ianni
April 1996

IEEE/ACM Transactions on Networking (TON), Volume 4 Issue 2

Full text available:  [pdf\(1.03 MB\)](#)

Additional Information: [full citation](#), [references](#), [index terms](#)

37 Energy Awareness and Power Control: Minimum energy paths for reliable communication in multi-hop

Suman Banerjee, Archan Misra
June 2002

Proceedings of the 3rd ACM international symposium on Mobile ad hoc networking

Full text available:  [pdf\(189.29 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), _____

Current algorithms for minimum-energy routing in wireless networks typically select minimum-cost multi-hop same cost and the minimum-hop path is selected. In situations where the transmission power can be varied w energy-aware routing algorithms select a path with a large number of small-distance hops. In this paper, we

Keywords: ad-hoc networks, energy efficiency, routing

38 Optimal emulations by butterfly-like networks

Sandeep N. Bhatt, Fan R. K. Chung, Jia-Wei Hong, F. Thomson Leighton, Bojana Obrenic, Arnold L. Rosenberg, E March 1996

Journal of the ACM (JACM), Volume 43 Issue 2

Full text available:  [pdf\(3.25 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: embeddings, emulations, mapping algorithms, mapping problems, parallel architectures, process

39 A two-layer library-based approach to synthesis of analog systems from VHDL-AMS specifications

Alex Doboli, Nagu Dhanwada, Adrian Nunez-Aldana, Ranga Vemuri

April 2004

ACM Transactions on Design Automation of Electronic Systems (TODAES), Volume 9

Full text available:  pdf(658.00 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), _____

This paper presents a synthesis methodology for analog systems described using VHDL-AMS language. Synth library, and sized so that specified objectives (like AC response, signal to noise ratio, dynamic range, area) ar is bridged using a two-layered methodology. The first layer is architecture generation. The second layer is com

Keywords: Analog synthesis, VHDL-AMS, branch-and-bound, genetic algorithms, performance estimation

40 A Distributed Algorithm for Minimum-Weight Spanning Trees

R. G. Gallager, P. A. Humblet, P. M. Spira

January 1983

ACM Transactions on Programming Languages and Systems (TOPLAS), Volume 5 Issue 1

Full text available:  pdf(762.91 KB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Results 21 - 40 of 200

Result page: [previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) .

The ACM Portal is published by the Association for Computing Machinery

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [C](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows M](#)